



Touch 'n Foam

Easy-To-Use Expanding Foam Sealants



Touch 'n Foam PROFESSIONAL

Professional Spray Foam Systems





- Easy-to-use expanding foam sealants
- Broadest assortment of air-sealing and insulating products
- Increase comfort, safety and efficiency in homes and commercial properties



Reusable
Dispensing



EASY-TO-USE EXPANDING FOAM SEALANTS



MINIMUM EXPANDING SEALANT

- Fills and seals small cracks and gaps
- Insulates against energy loss
- Water resistant
- Interior / exterior use
- Paintable / sandable
- ULC-listed



Exclusive All-Season Formula
Cures between 30°–120°F (-1°–49°C)



MAXIMUM EXPANDING SEALANT

- 3 times the expansion to fill gaps greater than 1"
- For larger holes and gaps
- Blocks insects and other pests
- Air-tight, weather-resistant seal
- Interior / exterior use
- Paintable / sandable
- Meets ASTM E-84 Class A
- ULC-listed



WINDOW & DOOR SEALANT

- Low pressure formula – won't bow window frames or door jambs
- Meets AAMA standards 812-04 for low pressure foams
- Outperforms fiberglass
- Bright white foam
- Fills / seals
- Stops drafts / minimizes energy loss
- Meets ASTM E-84 Class A
- ULC-listed



FLAME RESISTANT SEALANT

- Approved fire block penetration sealant
- Passes ASTM E-814, UL-1715, and UL-94 V-0
- Type V residential fire block
- Flame spread 5, smoke developed 0
- Easy-to-identify orange color
- Seals gaps and cracks, stops air infiltration
- Fast cure, tack-free in about 10 minutes
- Meets ASTM E-84 Class A
- ULC-listed



EXTERIOR FILLER-ADHESIVE

- Black foam is UV resistant
- Directs water flow in and around water gardens
- Fish and plant safe
- Superior adhesive for landscaping projects
- Fills knot holes in trees to seal out pests
- ULC-listed

MERCHANDISING OPPORTUNITIES

Our exceptional packaging and merchandising opportunities include a wide variety of display options.

Display ready shippers allow for quick set-up and product replenishment.

Eye-catching mini-pallets offer a flexible option for a 192-unit floor display.



12- and 24-in
display ready cartons



192-unit Mini-Pallet
#4001000100



Floor Display holds
up to 72 cans
#4000725437



- For the professional contractor or serious do-it-yourselfer
- Gun foams and applicators allow precision controlled bead size, and easy, comfortable dispensing
- 1- and 2-component cylinders and foam systems offer quantity, portability and Class A fire rating
- 2-component foam systems comply to CAN/ULC S711.1-05 for bead applications; evaluation listing CCMC 13600-L

GUN FOAMS



ALL PURPOSE POLYURETHANE FOAM SEALANT

- Approved Type V residential fire block sealant
- Meets ASTM E-814, E-84, and UL-1715
- Class A fire rating
- Outperforms fiberglass
- Interior / exterior use
- ULC-listed



WINDOW & DOOR POLYURETHANE FOAM SEALANT

- Exerts virtually no force on frames or jambs
- Meets AAMA standards 812-04 for low pressure foams
- Provides greater dispensing and control
- Outperforms fiberglass
- Bright white
- Meets ASTM E-84
- Class A fire rating
- ULC-listed



LOW TEMP POLYURETHANE FOAM SEALANT

- Fills, expands, air seals in cold temperatures
- Cures in temperatures as low as -7°C (20°F)
- Won't crack or harden under extreme temperatures
- Approved Type V residential fireblock sealant
- Meets ASTM E-814, E-84, and UL-1715
- Class A fire rating
- ULC-listed



POLYURETHANE FOAM CLEANER

- Attaches to applicators in order to flush barrel
- Removes uncured foam that accidentally gets on hands, tools and gun foam applicators
- Zero VOC formula

GUN FOAM APPLICATOR



PRECISION FOAM DISPENSER

- Reusable
- Adjustable output
- Teflon coated basket
- Metal barrel & lever
- Plastic tip extension included
- 6 pack display-ready case

BUILDER SERIES

CONSTRUCTION ADHESIVES



HEAVY DUTY CONSTRUCTION ADHESIVE

- A dense, super-strong, multi-purpose polyurethane gel foam adhesive
- Yields 10X more than traditional construction adhesive
- Use on drywall, plywood, steel, aluminum, pressure-treated lumber and other surfaces
- Installs fast, uses fewer fasteners and won't produce squeeze out
- Bridges minor gaps on irregular surfaces
- Passes D6464; Exceeds ASTM C557



SUBFLOOR CONSTRUCTION ADHESIVE

- A dense, super-strong polyurethane gel foam adhesive for subfloors
- Yields 10X more than traditional adhesive caulks
- Installs faster
- Use on wood-to-wood assemblies, glued floor systems, plywood, OSB and dimensional and treated lumber
- Helps prevent floor squeaks and nail pops
- Bonds to wet and frozen lumber
- Exceeds ASTM D3498; Passes ASTM C557; Passes D6464

2-COMPONENT FOAM SYSTEMS

Touch 'n Foam's Professional line also offers portable and disposable spray foam kits. Our Class A fire rated foam bonds to most surfaces, dries in less than 60 seconds, and reduces energy costs up to 28%. Each kit comes with pre-attached hoses, an ergonomic foam applicator, disposable gloves, safety glasses and detailed instructions.

System 15 Kit (Yields 1.42 m² @ 25 mm / 15 bd. ft.)
Use for hole repairs and touch ups (glasses and DVD not included).

System 200 Kit
(Yields 18.6 m² @ 25 mm / 200 bd. ft.)
Ideal for air sealing basement sill plates and rim/band joist perimeters.

System 600 Kit
(Yields 55.7 m² @ 25 mm / 600 bd. ft.)
Perfect for air sealing stud wall cavity perimeters and crawl spaces.



1-COMPONENT FOAM SEALANT

FOAM SEALANT

- Fast expansion and quick cure
- Easily portable, fully disposable
- Improves energy efficiency
- Pre-attached hose with wand
- No CFCs
- Up to 4,663 meters (15,300 linear feet)





TOUCH 'N FOAM



TOUCH 'N FOAM PROFESSIONAL

Item No.	Net Wt.	Unit UPC	Case Pack	Case Code	Case Dimensions
HomeSeal™ Minimum Expanding Sealant					
4001142412	340 g (12 oz.)	0 75650 00129 2	12 per case	1 00 75650 00129 2	29,21 x 22,23 x 23,50 cm 11.50 x 8.75 x 9.25 in
4001162416	454 g (16 oz.)	0 75650 62416 6	12 per case	1 00 75650 62416 3	29,21 x 22,23 x 28,56 cm 11.50 x 8.75 x 11.25 in
4001140412	566 g (20 oz.)	0 75650 00137 0	12 per case	1 00 75650 00137 7	28,56 x 22,23 x 30,48 cm 11.25 x 8.75 x 12.00 in
MaxFill™ Maximum Expanding Sealant					
4001112012	340 g (12 oz.)	0 75650 00127 1	12 per case	1 00 75650 00127 8	29,21 x 22,23 x 23,50 cm 11.50 x 8.75 x 9.25 in
4001160316	454 g (16 oz.)	0 75650 60316 1	12 per case	1 00 75650 60316 8	29,21 x 22,23 x 28,56 cm 11.50 x 8.75 x 11.25 in
4001130107	566 g (20 oz.)	0 75650 00128 8	12 per case	1 00 75650 00128 5	28,56 x 22,23 x 30,48 cm 11.25 x 8.75 x 12.00 in
FireBreak® Flame Resistant Sealant					
4001140016	454 g (16 oz.)	0 75650 40016 6	12 per case	1 00 75650 40016 3	29,21 x 22,23 x 28,56 cm 11.50 x 8.75 x 11.25 in
No Warp® Window & Door Sealant					
4001044010	340 g (12 oz.)	0 75650 44010 0	12 per case	1 00 75650 44010 7	29,21 x 22,23 x 23,50 cm 11.50 x 8.75 x 9.25 in
4001164416	454 g (16 oz.)	0 75650 64416 4	12 per case	1 00 75650 64416 1	29,21 x 22,23 x 28,56 cm 11.50 x 8.75 x 11.25 in
Landscape Exterior Filler-Adhesive					
4001140460	454 g (16 oz.)	0 75650 40460 7	12 per case	1 00 75650 40460 7	29,21 x 22,23 x 28,56 cm 11.50 x 8.75 x 11.25 in
Item No.	Net Wt.	Unit UPC	Case Pack	Case Code	Case Dimensions
All-Purpose Polyurethane Foam Sealant (For Gun Applicator Use)					
4004528730	680 g (24 oz.)	0 75650 28730 9	12 per case	1 00 75650 28730 6	30,48 x 22,23 x 29,21 cm 12.00 x 8.75 x 11.50 in
Window & Door Polyurethane Foam Sealant (For Gun Applicator Use)					
4004529700	566 g (20 oz.)	0 75650 29700 1	12 per case	1 00 75650 29700 8	28,56 x 22,23 x 30,48 cm 11.25 x 8.75 x 12.00 in
Low Temp Polyurethane Foam Sealant (For Gun Applicator Use)					
4006002440	680 g (24 oz.)	0 75650 02440 9	12 per case	1 00 75650 02440 6	30,48 x 22,23 x 29,21 cm 12.00 x 8.75 x 11.50 in
Builder Series Heavy Duty Construction Adhesive (Straw Foam)					
4004532440	454 g (16 oz.)	0 75650 32432 5 – Individual 0 75650 32433 2 – Contractor Pack	6 per case	1 00 75650 32431 5	27,31 x 22,56 x 15,24 cm 10.75 x 8.88 x 6.00 in
Builder Series Subfloor Construction Adhesive (For Gun Applicator Use)					
4004532450	680 g (24 oz.)	0 75650 32422 6 – Individual 0 75650 32423 3 – Contractor Pack	6 per case	1 00 75650 32421 6	29,21 x 21,59 x 14,61 cm 11.50 x 8.50 x 5.75 in
Polyurethane Foam Cleaner					
4004528700	340 g (12 oz.)	0 75650 28700 2	12 per case	1 00 75650 28700 9	28,56 x 21,00 x 21,60 cm 11.25 x 8.25 x 8.50 in
Gun Foam Applicator – Precision Foam Dispenser					
4004528775	—	0 75650 28775 0	6 per carton	1 00 75650 28775 7	16,51 x 35,56 x 38,10 cm 6.50 x 14.00 x 15.00 in
1-Component Foam Sealant					
4001110001	4,54 kg (10 lb.)	0 75650 00036 6	1 ea.	—	20,30 x 20,30 x 41,90 cm 8.00 x 8.00 x 16.50 in
System 15 Spray Foam, 2-Component System					
4006001506	1 kg (2.27 lb.)	0 75650 61215 6	6 per case	1 00 75650 01506 0	33,70 x 30,50 x 32,40 cm 13.25 x 12.00 x 12.75 in
System 200 Spray Foam, 2-Component System					
4006020200	12,85 kg (28.43 lb.)	0 75650 20200 5	1 ea.	—	43,20 x 21,60 x 40,60 cm 17.00 x 8.50 x 16.00 in
System 600 Spray Foam, 2-Component System					
4006060600	"A": 20,23 kg (44.61 lb.) "B": 18,19 kg (40.12 lb.)	0 75650 60600 1	1 ea.	—	31,80 x 31,10 x 43,80 cm 12.50 x 12.25 x 17.25 in
Item No.	Unit Size	Unit UPC	Case Pack	Case Code	Case Dimensions
Conical Nozzle					
4004522005	5 each	0 75650 22005 4	6 pack	100 75650 22005 1	17,00 x 9,40 x 15,70 cm 6.69 x 3.69 x 6.19 in